

Master Index: Volumes 31–40

Abhyankar, S.S., S. Chandrasekar and V. Chandru, Intersection of algebraic space curves	31 (1991) 81– 96
Abrahamson, K., M.R. Fellows, M.A. Langston and B.M.E. Moret, Constructive complexity	34 (1991) 3– 16
Adams, C.M. and S.E. Tavares, Generating bent sequences (Note)	39 (1992) 155–159
Afrati, F., The parallel complexity of single rule logic programs	40 (1992) 107–126
Agarwal, A.K., q -functional equations and some partition identities	34 (1991) 17– 26
Agarwal, P.K., A. Aggarwal, B. Aronov, S.R. Kosaraju, B. Schieber and S. Suri, Computing external farthest neighbors for a simple polygon	31 (1991) 97–111
Aggarwal, A., see P.K. Agarwal	31 (1991) 97–111
Akl, S., G. Labonté, M. Leeder and K. Qiu, On doing Todd-Coxeter coset enumeration in parallel	34 (1991) 27– 35
Aleš, J. and R. Bačík, Strong elimination ordering of the total graph of a tree (Communication)	39 (1992) 293–295
Allwright, J., New (Δ, D) graphs discovered by heuristic search	37/38 (1992) 3– 8
Alon, N., Transmitting in the n -dimensional cube	37/38 (1992) 9– 11
Andreae, T., Some results on visibility graphs	40 (1992) 5– 17
Apostolico, A., M.J. Atallah and S.E. Hambrusch, New clique and independent set algorithms for circle graphs	36 (1992) 1– 24
Arikati, S.R. and C. Pandu Rangan, An efficient algorithm for finding a two-pair, and its applications (Note)	31 (1991) 71– 74
Aronov, B., see P.K. Agarwal	31 (1991) 97–111
Atallah, M.J., see A. Apostolico	36 (1992) 1– 24
Atallah, M.J., see J. Manning	39 (1992) 13– 35
Bačík, R., see J. Aleš	39 (1992) 293–295
Bagga, K.S., L.W. Beineke, W.D. Goddard, M.J. Lipman and R.E. Pippert, A survey of integrity	37/38 (1992) 13– 28
Baláž, V., V. Kvasnička and J. Pospíchal, Two metrics in a graph theory modeling of organic chemistry	35 (1992) 1– 19

- Banković, D., Certain Boolean equations 35 (1992) 21- 27
- Bar-Yehuda, R. and T. Etzion, Connections between two cycles – a new design of dense processor interconnection networks 37/38 (1992) 29- 43
- Baulieu, F.B., Classification of normalized cluster methods in an order theoretic model 32 (1991) 1- 29
- Beigel, R. and W.I. Gasarch, The Mapmaker's dilemma 34 (1991) 37- 48
- Beineke, L.W., see K.S. Bagga 37/38 (1992) 13- 28
- Belouadah, H., M.E. Posner and C.N. Potts, Scheduling with release dates on a single machine to minimize total weighted completion time 36 (1992) 213-231
- Bergeron, F., G. Labelle and P. Leroux, Computation of the expected number of leaves in a tree having a given automorphism, and related topics 34 (1991) 49- 66
- Bermond, J.-C., C. Delorme and J.J. Quisquater, Table of large (Δ, D) -graphs 37/38 (1992) 575-577
- Bermond, J.-C., P. Hell, A.L. Liestman and J.G. Peters, Sparse broadcast graphs 36 (1992) 97-130
- Bhandari, M.C. and M.S. Garg, A note on the covering radius of optimum codes 33 (1991) 3- 9
- Björner, A., J. Karlander and B. Lindström, Communication complexity of two decision problems (Note) 39 (1992) 161-163
- Blanchet-Sadri, F., Games, equations and dot-depth two monoids 39 (1992) 99-111
- Blazewicz, J., see D. de Werra 35 (1992) 205-219
- Bordat, J.-P., Efficient polynomial algorithms for distributive lattices 32 (1991) 31- 50
- Brandstädt, A., Classes of bipartite graphs related to chordal graphs 32 (1991) 51- 60
- Burkard, R.E. and W. Sandholzer, Efficiently solvable special cases of bottleneck travelling salesman problems 32 (1991) 61- 76
- Bushnell, M.L., see S.T. Chakradhar 36 (1992) 233-251
- Butkovic, P. and R.A. Cuninghame-Green, An $O(n^2)$ algorithm for the maximum cycle mean of an $n \times n$ bivalent matrix (Note) 35 (1992) 157-162
- Butler, L.M., Generalized flags in finite Abelian p -groups 34 (1991) 67- 81
- Cai, L. and J.A. Ellis, Edge colouring line graphs of unicyclic graphs (Note) 36 (1992) 75- 82
- Camarda, P. and M. Gerla, Design and analysis of fault-tolerant multibus interconnection networks 37/38 (1992) 45- 64
- Campbell, L., Dense group networks 37/38 (1992) 65- 71

- Čangalović, M. and J.A.M. Schreuder, Modelling and solving an acyclic multi-period timetabling problem 35 (1992) 177–195
- Caniglia, L., A. Galligo and J. Heintz, Equations for the projective closure and effective Nullstellensatz 33 (1991) 11– 23
- Capocelli, R.M., L. Gargano and U. Vaccaro, Efficient q -ary immutable codes 33 (1991) 25– 41
- Catlin, P.A., J.W. Grossman, A.M. Hobbs and H.-J. Lai, Fractional arboricity, strength, and principal partitions in graphs and matroids 40 (1992) 285–302
- Cederbaum, I., I. Koren and S. Wimer, Balanced block spacing for VLSI layout 40 (1992) 303–318
- Chakradhar, S.T. and M.L. Bushnell, A solvable class of quadratic 0-1 programming 36 (1992) 233–251
- Chandrasekar, S., see S.S. Abhyankar 31 (1991) 81– 96
- Chandru, V., see S.S. Abhyankar 31 (1991) 81– 96
- Chang, M.S., C.Y. Tang and R.C.T. Lee, Solving the Euclidean bottleneck biconnected edge subgraph problem by 2-relative neighborhood graphs 39 (1992) 1– 12
- Chang, G.J., see H.-M. Lee 40 (1992) 411–421
- Chen, B., Tighter bound for MULTIFIT scheduling on uniform processors 31 (1991) 227–260
- Ching, Y.T., see M.T. Ko 40 (1992) 397–410
- Chung, F.R.K., Graphs with small diameter after edge deletion 37/38 (1992) 73– 94
- Clark, L.H., R.C. Entringer and L.A. Székely, Threshold functions for local properties of graphs: triangles 34 (1991) 83–105
- Coffey, J.T., R.M. Goodman and P.G. Farrell, New approaches to reduced-complexity decoding 33 (1991) 43– 60
- Cohen, G.D., see G. Zémor 37/38 (1992) 553–562
- Conti, P. and C. Traverso, Computing the conductor of an integral extension 33 (1991) 61– 72
- Cooperman, G. and L. Finkelstein, New methods for using Cayley graphs in interconnection networks 37/38 (1992) 95–118
- Coullard, C.R., J.G. del Greco and D.K. Wagner, Representations of bicircular matroids 32 (1991) 223–240
- Csima, J. and L. Lovász, A matching algorithm for regular bipartite graphs 35 (1992) 197–203
- Culik II, K. and T. Harju, Splicing semigroups of dominoes and DNA 31 (1991) 261–277
- Culik II, K. and S. Yu, Cellular automata, $\omega\omega$ -regular sets, and sofic systems 32 (1991) 85–101
- Cuninghame-Green, R.A., see P. Butkovic 35 (1992) 157–162

- Damaschke, P., Distances in cocomparability graphs and their powers (Note) 35 (1992) 67–72
- Das, S.K., J. Ghosh and N. Deo, Stirling networks: a versatile combinatorial topology for multiprocessor systems 37/38 (1992) 119–146
- Del Greco, J.G., see C.R. Coullard 32 (1991) 223–240
- Delorme, C., Examples of products giving large graphs with given degree and diameter 37/38 (1992) 157–167
- Delorme, C., see J.-C. Bermond 37/38 (1992) 575–577
- Demetrovics, J., G.O.H. Katona and D. Miklós, Partial dependencies in relational databases and their realization 40 (1992) 127–138
- Demetrovics, J., G.O.H. Katona and A. Sali, The characterization of branching dependencies 40 (1992) 139–153
- Demetrovics, J., L. Libkin and I.B. Muchnik, Functional dependencies in relational databases: A lattice point of view 40 (1992) 155–185
- Deo, N., see S.K. Das 37/38 (1992) 119–146
- Deogun, J.S. and G. Steiner, Hamiltonian cycle is polynomial on cocomparability graphs (Communication) 39 (1992) 165–172
- De Werra, D. and J. Blazewicz, Some preemptive open shop scheduling problems with a renewable or a nonrenewable resource 35 (1992) 205–219
- Dickenstein, A., N. Fitchas, M. Giusti and C. Sessa, The membership problem for unmixed polynomial ideals is solvable in single exponential time 33 (1991) 73–94
- Dollansky, G., see R. Fahrion 35 (1992) 221–236
- Dror, M., Openshop scheduling with machine dependent processing times 39 (1992) 197–205
- Du, D.-Z., D.F. Hsu and G.W. Peck, Connectivity of consecutive- d digraphs 37/38 (1992) 169–177
- Du, M.W., see S.C. Tai 32 (1991) 263–273
- Dür, A., Complete decoding of doubly-extended Reed–Solomon codes of minimum distance 5 and 6 33 (1991) 95–107
- Dwyer, R.A., Convex hulls of samples from spherically symmetric distributions 31 (1991) 113–132
- Edwards, K., The complexity of some graph colouring problems 36 (1992) 131–140
- Edwards Jr, W.R., see B. Greenblatt 34 (1991) 129–143
- Eğecioğlu, Ö. and J.B. Remmel, Brick tabloids and the connection matrices between bases of symmetric functions 34 (1991) 107–120
- Egyed, P. and R. Wenger, Ordered stabbing of pairwise disjoint convex sets in linear time 31 (1991) 133–140

- Ehrenfeucht, A. and G. Rozenberg, Grammatical codes of trees 32 (1991) 103-129
- Ellis, J.A., see L. Cai 36 (1992) 75- 82
- Entringer, R.C., see L.H. Clark 34 (1991) 83-105
- Esfahanian, A.-H., see G.W. Zimmerman 37/38 (1992) 563-573
- Etzion, R., see R. Bar-Yehuda 37/38 (1992) 29- 43
- Fahrion, R. and G. Dollansky, Construction of university faculty timetables using logic programming techniques 35 (1992) 221-236
- Faigle, U. and R. Schrader, A greedy reduction algorithm for setup optimization (Note) 35 (1992) 73- 79
- Faigle, U., R. Schrader and G. Turán, The communication complexity of interval orders 40 (1992) 19- 28
- Farrell, P.G., see J.T. Coffey 33 (1991) 43- 60
- Faudree, R.J., R.J. Gould and L.M. Lesniak, Generalized degrees and Menger path systems 37/38 (1992) 179-191
- Fellows, M.R., see K. Abrahamson 34 (1991) 3- 16
- Ferland, J.A. and A. Lavoie, Exchanges procedures for timetabling problems 35 (1992) 237-253
- Fernandez de la Vega, W. and Y. Manoussakis, The forwarding index of communication networks with given connectivity 37/38 (1992) 147-155
- Finkelstein, L., see G. Cooperman 37/38 (1992) 95-118
- Fiol, M.A., see J. Gómez 37/38 (1992) 227-243
- Fishburn, P.C., Correlation in partially ordered sets (Perspectives) 39 (1992) 173-191
- Fitchas, N., see A. Dickenstein 33 (1991) 73- 94
- Flajolet, P., D. Gardy and L. Thimonier, Birthday paradox, coupon collectors, caching algorithms and self-organizing search 39 (1992) 207-229
- Frank, A., T. Nishizeki, N. Saito, H. Suzuki and É. Tardos, Algorithms for routing around a rectangle 40 (1992) 363-378
- Franzkeit, R., A binary search problem on graphs (Note) 36 (1992) 83- 86
- Fredricksen, H., A new look at the de Bruijn graph 37/38 (1992) 193-203
- Fukuda, K., S. Saito and A. Tamura, Combinatorial face enumeration in arrangements and oriented matroids 31 (1991) 141-149
- Fukuda, K., S. Saito, A. Tamura and T. Tokuyama, Bounding the number of k -faces in arrangements of hyperplanes 31 (1991) 151-165
- Galligo, A., see L. Caniglia 33 (1991) 11- 23
- Gardy, D., see P. Flajolet 39 (1992) 207-229
- Garg, M.S., see M.C. Bhandari 33 (1991) 3- 9

- Gargano, L., J. Körner and U. Vaccaro, Search problems for two irregular coins with incomplete feedback: the underweight model (Note) 36 (1992) 191–197
- Gargano, L., V. Montuori, G. Setaro and U. Vaccaro, An improved algorithm for quantitative group testing (Note) 36 (1992) 299–306
- Gargano, L., see R.M. Capocelli 33 (1991) 25– 41
- Gasarch, W.I., see R. Beigel 34 (1991) 37– 48
- Gécseg, F. and B. Imreh, Finite isomorphically complete systems (Note) 36 (1992) 307–311
- Gerla, M., see P. Camarda 37/38 (1992) 45– 64
- Getu, S., see L.W. Shapiro 34 (1991) 229–239
- Ghafoor, A., Connectivity, persistence and fault diagnosis of interconnection networks based on O_k and $2O_k$ graphs 37/38 (1992) 205–226
- Ghafoor, A., see P. Solé 33 (1991) 215–224
- Ghafoor, A., see P. Solé 37/38 (1992) 501–510
- Ghosh, J., see S.K. Das 37/38 (1992) 119–146
- Gimbel, J. and E.M. Palmer, Matchings and cycle covers in random digraphs 34 (1991) 121–128
- Giusti, M., see A. Dickenstein 33 (1991) 73– 94
- Goddard, W.D., see K.S. Bagga 37/38 (1992) 13– 28
- Gómez, J., M.A. Fiol and J.L.A. Yebra, Graphs on alphabets as models for large interconnection networks 37/38 (1992) 227–243
- Goodman, J.E. and R. Pollack, The complexity of point configurations 31 (1991) 167–180
- Goodman, R.M., see J.T. Coffey 33 (1991) 43– 60
- Gordon, J.M., Analysis of minimal path routing schemes in the presence of faults 37/38 (1992) 245–263
- Gottlob, G., M. Schrefl and M. Stumptner, Selective inheritance of attribute values in relational databases 40 (1992) 187–216
- Gould, R.J., see R.J. Faudree 37/38 (1992) 179–191
- Govindan, R., see C. Pandu Rangan 36 (1992) 203–205
- Graham, N. and F. Harary, Changing and unchanging the diameter of a hypercube 37/38 (1992) 265–274
- Greenblatt, B. and W.R. Edwards Jr, Semigroup automaton structure by homomorphism and domain partition 34 (1991) 129–143
- Grossman, J.W., see P.A. Catlin 40 (1992) 285–302
- Guo, X., see F. Zhang 32 (1991) 295–302
- Gutjahr, W., E. Welzl and G. Woeginger, Polynomial graph-colorings 35 (1992) 29– 45
- Hambruch, S.E., see A. Apostolico 36 (1992) 1– 24
- Hamidoune, Y.O., A.S. Llado and O. Serra, The connectivity of hierarchical Cayley digraphs 37/38 (1992) 275–280

- Han, Y., Y. Igarashi and M. Truszczynski, Indexing functions and time lower bounds for sorting on a mesh-connected computer 36 (1992) 141–152
- Harary, F., see N. Graham 37/38 (1992) 265–274
- Harju, T. and H.C.M. Kleijn, Decidability problems for unary output sequential transducers 32 (1991) 131–140
- Harju, T., see K. Culik II 31 (1991) 261–277
- Hartvigsen, D. and E. Zemel, The complexity of lifted inequalities for the knapsack problem 39 (1992) 113–123
- He, W., W. He and S. Xie, Algebraic expressions for Kekulé structure counts of nonbranched cata-condensed benzeoid 35 (1992) 91–106
- He, W., see W. He 35 (1992) 91–106
- Hefner, K.A.S., K.F. Jones, S. Kim, J.R. Lundgren and F.S. Roberts, (i, j) competition graphs 32 (1991) 241–262
- Heinrich, K., K. Kim and V.K. Prasanna Kumar, Perfect latin squares 37/38 (1992) 281–286
- Heintz, J., see L. Caniglia 33 (1991) 11–23
- Hell, P., see J.-C. Bermond 36 (1992) 97–130
- Helleseth, T., Legendre sums and codes related to QR codes 35 (1992) 107–113
- Hertz, A., Finding a feasible course schedule using Tabu search 35 (1992) 255–270
- Heydemann, M.C., J.C. Meyer, J. Opatrny and D. Sotteau, Forwarding indices of k -connected graphs 37/38 (1992) 287–296
- Heydemann, M.C., J. Opatrny and D. Sotteau, Broadcasting and spanning trees in de Bruijn and Kautz networks 37/38 (1992) 297–317
- Hibi, T., Linear and nonlinear inequalities concerning a certain combinatorial sequence which arises from counting the number of chains of a finite distributive lattice 34 (1991) 145–150
- Hilton, A.J.W., Alternating Hamiltonian circuits in edge-coloured bipartite graphs 35 (1992) 271–273
- Hobbs, A.M., see P.A. Catlin 40 (1992) 285–302
- Hollmann, H.D.L. and J.H. van Lint Jr, Nonblocking self-routing switching networks 37/38 (1992) 319–340
- Honkala, J., On generalized zeta functions of formal languages and series 32 (1991) 141–153
- Hromkovič, J., J. Karhumäki, B. Rován and A. Slobodová, On the power of synchronization in parallel computations 32 (1991) 155–182
- Hsu, D.F., see D.-Z. Du 37/38 (1992) 169–177
- Hu, X.D. and F.K. Hwang, An improved upper bound for the subarray partial concentrators 37/38 (1992) 341–346
- Hwang, F.K. and G.W. Richards, The capacity of the subarray partial concentrators 39 (1992) 231–240
- Hwang, F.K., see X.D. Hu 37/38 (1992) 341–346

- Ibaraki, T., see N. Katoh 35 (1992) 275-291
- Ibaraki, T., see N. Katoh 40 (1992) 379-395
- Igarashi, Y., see Y. Han 36 (1992) 141-152
- Imai, H., see R. Kohno 33 (1991) 129-146
- Imreh, B., see F. Gécseg 36 (1992) 307-311
- Ishii, S., Measure theoretic approach to the classification of cellular automata 39 (1992) 125-136
- Jamison, B. and S. Olariu, On a unique tree representation for P_4 -extendible graphs 34 (1991) 151-164
- Jamison, B. and S. Olariu, A tree representation for P_4 -sparse graphs 35 (1992) 115-129
- Jamison, R.E., see D.R. Shier 37/38 (1992) 489-500
- Jaromczyk, J.W. and M. Kowaluk, Constructing the relative neighborhood graph in 3-dimensional Euclidean space 31 (1991) 181-191
- Jones, K.F., see K.A.S. Hefner 32 (1991) 241-262
- Jørgensen, L.K., Diameters of cubic graphs 37/38 (1992) 347-351
- Juvan, M. and B. Mohar, Optimal linear labelings and eigenvalues of graphs 36 (1992) 153-168
- Kameda, T., see N. Katoh 40 (1992) 379-395
- Kantor, W.M., Some large trivalent graphs having small diameters 37/38 (1992) 353-357
- Kaparthi, S. and H.R. Rao, Higher dimensional restricted lattice paths with diagonal steps 31 (1991) 279-289
- Karhumäki, J., see J. Hromkovič 32 (1991) 155-182
- Karlander J., see A. Björner 39 (1992) 161-163
- Karp, R.M., An introduction to randomized algorithms 34 (1991) 165-201
- Karplus, K. and H. Krit, A semi-systolic decoder for the PDSC-73 error-correcting code 33 (1991) 109-128
- Katoh, N., An ε -approximation scheme for combinatorial optimization problems with minimum variance criterion 35 (1992) 131-141
- Katoh, N., A fully polynomial time approximation scheme for minimum cost-reliability ratio problems 35 (1992) 143-155
- Katoh, N., T. Ibaraki and T. Kameda, A multiversion cautious scheduler with dynamic serialization constraints for database concurrency control 40 (1992) 379-395
- Katoh, N., J. Koyanagi, M. Ohnishi and T. Ibaraki, Optimal strategies for some team games 35 (1992) 275-291
- Katona, G.O.H., see J. Demetrovics 40 (1992) 127-138
- Katona, G.O.H., see J. Demetrovics 40 (1992) 139-153
- Kawaguchi, K., see K. Wada 37/38 (1992) 539-552
- Keil, J.M. and D. Schaefer, An optimal algorithm for finding dominating cycles in circular-arc graphs 36 (1992) 25- 34

- Kim, S., see K.A.S. Hefner 32 (1991) 241-262
- Kim, K., see K. Heinrich 37/38 (1992) 281-286
- Kleijn, H.C.M., see T. Harju 32 (1991) 131-140
- Ko, M.T. and Y.T. Ching, Linear time algorithms for the weighted tailored 2-partition problem and the weighted 2-center problem under l_∞ -distance 40 (1992) 397-410
- Kohno, R. and H. Imai, Combination of decoding of error-correcting codes and equalization for channels with inter-symbol interference 33 (1991) 129-146
- Koren, I., see I. Cederbaum 40 (1992) 303-318
- Kornai, A. and Z. Tuza, Narrowness, pathwidth, and their application in natural language processing (Communication) 36 (1992) 87- 92
- Körner, J., see L. Gargano 36 (1992) 191-197
- Kosaraju, S.R., see P.K. Agarwal 31 (1991) 97-111
- Kowaluk, M., see J.W. Jaromczyk 31 (1991) 181-191
- Koyanagi, J., see N. Katoh 35 (1992) 275-291
- Kratochvíl, J. and S. Poljak, Compatible 2-factors 36 (1992) 253-266
- Krit, H., see K. Karplus 33 (1991) 109-128
- Kruskal, C.P. and M. Snir, Cost-performance tradeoffs for interconnection networks 37/38 (1992) 359-385
- Kubale, M., Some results concerning the complexity of restricted colorings of graphs 36 (1992) 35- 46
- Kvasnička, V., see V. Baláž 35 (1991) 1- 19
- Labelle, G., see F. Bergeron 34 (1991) 49- 66
- Labonté, G., see S. Akl 34 (1991) 27- 35
- Lai, H.-J., see P.A. Catlin 40 (1992) 285-302
- Langston, M.A., see K. Abrahamson 34 (1991) 3- 16
- Lausen, G., Locking based on a pairwise decomposition of the transaction system 40 (1992) 217-236
- Lavoie, A., see J.A. Ferland 35 (1992) 237-253
- Lazard, D., A new method for solving algebraic systems of positive dimension 33 (1991) 147-160
- Lazard, E., Broadcasting in DMA-bound bounded degree graphs 37/38 (1992) 387-400
- Lee, H.-M. and G.J. Chang, Set to set broadcasting in communication networks 40 (1992) 411-421
- Lee, R.C.T., see M.S. Chang 39 (1992) 1- 12
- Lee, R.C.T., see S.C. Tai 32 (1991) 263-273
- Leeder, M., see S. Akl 34 (1991) 27- 35
- Leroux, P., see F. Bergeron 34 (1991) 49- 66
- Lesniak, L.M., see R.J. Faudree 37/38 (1992) 179-191

- Levcopoulos, C. and O. Petersson, Matching parentheses in parallel 40 (1992) 423–431
- Li, C.-L., S.T. McCormick and D. Simchi-Levi, The point-to-point delivery and connection problems: complexity and algorithms 36 (1992) 267–292
- Libkin, L., see J. Demetrovics 40 (1992) 155–185
- Liestman, A.L. and J.G. Peters, Minimum broadcast digraphs 37/38 (1992) 401–419
- Liestman, A.L., see J.-C. Bermond 36 (1992) 97–130
- Lin, S., see B. Vucetic 33 (1991) 257–269
- Lindström, B., see A. Björner 39 (1992) 161–163
- Lipman, M.J., see K.S. Bagga 37/38 (1992) 13– 28
- Llado, A.S., see Y.O. Hamidoune 37/38 (1992) 275–280
- Lou, R.D. and M. Sarrafzadeh, Circular permutation graph family with applications 40 (1992) 433–457
- Lovász, L., see J. Csimá 35 (1992) 197–203
- Lundgren, J.R., see K.A.S. Hefner 32 (1991) 241–262
- Maehara, H., Distances in a rigid unit-distance graph in the plane 31 (1991) 193–200
- Manber, R., see G. Narasimhan 36 (1992) 47– 56
- Mannila, H. and K.-J. Räihä, On the complexity of inferring functional dependencies 40 (1992) 237–243
- Manning, J. and M.J. Atallah, Fast detection and display of symmetry in outerplanar graphs 39 (1992) 13– 35
- Manoussakis, Y., A linear-time algorithm for finding Hamiltonian cycles in tournaments (Note) 36 (1992) 199–201
- Manoussakis, Y., see W. Fernandez de la Vega 37/38 (1992) 147–155
- Marathe, M.V., R. Ravi and C. Pandu Rangan, Generalized vertex covering in interval graphs (Note) 39 (1992) 87– 93
- Masuyama, S., On the tree packing problem (Note) 35 (1992) 163–166
- Maurer, U.M., Asymptotically-tight bounds on the number of cycles in generalized de Bruijn–Good graphs 37/38 (1992) 421–436
- McCormick, S.T., see C.-L. Li 36 (1992) 267–292
- Meyer, J.C., see M.C. Heydemann 37/38 (1992) 287–296
- Miklós, D., see J. Demetrovics 40 (1992) 127–138
- Mohar, B., A domain monotonicity theorem for graphs and Hamiltonicity 36 (1992) 169–177
- Mohar, B., see M. Juvan 36 (1992) 153–168
- Montuori, V., see L. Gargano 36 (1992) 299–306
- Mora, T., La quête del Saint Gr_a(AL): A computational approach to local algebra 33 (1991) 161–190
- Moret, B.M.E., see K. Abrahamson 34 (1991) 3– 16

- Morris Jr, W.D., The maximum number of complementary facets of a simplicial polytope 36 (1992) 293-298
- Moser, W.O.J., Problems, problems, problems 31 (1991) 201-225
- Muchnik, I.B., see J. Demetrovics 40 (1992) 155-185
- Murphy, O.J., Computing independent sets in graphs with large girth (Note) 35 (1992) 167-170
- Narasimhan, G. and R. Manber, Stability number and chromatic number of tolerance graphs 36 (1992) 47- 56
- Niemi, V., Power languages and density 32 (1991) 183-193
- Nishizeki, T., see A. Frank 40 (1992) 363-378
- Ohnishi, M., see N. Katoh 35 (1992) 275-291
- Olariu, S., Some aspects of the semi-perfect elimination 31 (1991) 291-298
- Olariu, S., see B. Jamison 34 (1991) 151-164
- Olariu, S., see B. Jamison 35 (1992) 115-129
- Opatrny, J., see M.C. Heydemann 37/38 (1992) 287-296
- Opatrny, J., see M.C. Heydemann 37/38 (1992) 297-317
- Ottmann, T. and D. Wood, Defining families of trees with EOL grammars 32 (1991) 195-209
- Palmer, E.M., see J. Gimbel 34 (1991) 121-128
- Pandu Rangan, C. and R. Govindan, An $O(n \log n)$ algorithm for a maxmin location problem (Note) 36 (1992) 203-205
- Pandu Rangan, C., see S.R. Arikati 31 (1991) 71- 74
- Pandu Rangan, C., see M.V. Marathe 39 (1992) 87- 93
- Peck, G.W., see D.-Z. Du 37/38 (1992) 169-177
- Penaud, J.G., Matrice de ramification des arbres binaires 31 (1991) 1- 21
- Peters, J.G., see J.-C. Bermond 36 (1992) 97-130
- Peters, J.G., see A.L. Liestman 37/38 (1992) 401-419
- Petersson, O., see C. Levcopoulos 40 (1992) 423-431
- Pippenger, N., The asymptotic optimality of spider-web networks 37/38 (1992) 437-450
- Pippert, R.E., see K.S. Bagga 37/38 (1992) 13- 28
- Pirlot, M., Synthetic description of a semiorder 31 (1991) 299-308
- Plesnik, J., Heuristics for the Steiner problem in graphs 37/38 (1992) 451-463
- Poljak, S., see J. Kratochvíl 36 (1992) 253-266
- Pollack, R., see J.E. Goodman 31 (1991) 167-180
- Posner, M.E., see H. Belouadah 36 (1992) 213-231
- Pospichal, J., see V. Baláz 35 (1992) 1- 19
- Potts, C.N., see H. Belouadah 36 (1992) 213-231
- Prasanna Kumar, V.K., see K. Heinrich 37/38 (1992) 281-286
- Punnen, A.P., see M.B. Richey 39 (1992) 147-153

- Qiu, K., see S. Akl 34 (1991) 27– 35
- Quisquater, J.J., see J.-C. Bermond 37/38 (1992) 575–577
- Raghavan, P., Integer programming in VLSI design 40 (1992) 29– 43
- Räihä, K.-J., see H. Mannila 40 (1992) 237–243
- Rao, H.R., see S. Kaparathi 31 (1991) 279–289
- Rardin, R.L. and M. Sudit, Paroids: a canonical format for combinatorial optimization 39 (1992) 37– 56
- Ravi, R., see M.V. Marathe 39 (1992) 87– 93
- Raychaudhuri, A., Optimal multiple interval assignments in frequency assignment and traffic phasing 40 (1992) 319–332
- Recski, A. and W. Schwärzler, One-story buildings as tensegrity frameworks III 39 (1992) 137–146
- Reid, K.B., The relationship between two algorithms for decisions via sophisticated majority voting with an agenda 31 (1991) 23– 28
- Rommel, J.B., see Ö. Eğecioğlu 34 (1991) 107–120
- Richards, G.W., see F.K. Hwang 39 (1992) 231–240
- Richey, M.B., Improved bounds for harmonic-based bin packing algorithms 34 (1991) 203–227
- Richey, M.B. and A.P. Punnen, Minimum perfect bipartite matchings and spanning trees under categorization 39 (1992) 147–153
- Roberts, F.S., see K.A.S. Hefner 32 (1991) 241–262
- Roelants van Baronaigien, D. and F. Ruskey, Generating permutations with given ups and downs 36 (1992) 57– 65
- Rosa, A., On a class of completable partial edge-colourings 35 (1992) 293–299
- Rosenberg, A.L., Product-shuffle networks: toward reconciling shuffles and butterflies 37/38 (1992) 465–488
- Rothblum, U.G., H. Schneider and M.H. Schneider, Characterizations of max-balanced flows 39 (1992) 241–261
- Rovan, B., see J. Hromkovič 32 (1991) 155–182
- Rozenberg, G., see A. Ehrenfeucht 32 (1991) 103–129
- Ruskey, F., see D. Roelants van Baronaigien 36 (1992) 57– 65
- Ryan, C.T., Linear sections of the general linear group: A geometric approach (Note) 35 (1992) 81– 86
- Sagiv, Y. and Y. Saraiya, Minimizing restricted-fanout queries 40 (1992) 245–264
- Saito, N., see A. Frank 40 (1992) 363–378
- Saito, S., see K. Fukuda 31 (1991) 141–149
- Saito, S., see K. Fukuda 31 (1991) 151–165
- Sakata, S., Two-dimensional shift register synthesis and Gröbner bases for polynomial ideals over an integer residue ring 33 (1991) 191–203

- Sali, A., see J. Demetrovics 40 (1992) 139-153
- Sandholzer, W., see R.E. Burkard 32 (1991) 61- 76
- Saraiya, Y., see Y. Sagiv 40 (1992) 245-264
- Sarrafzadeh, M., see R.D. Lou 40 (1992) 433-457
- Schaefer, D., see J.M. Keil 36 (1992) 25- 34
- Schäffer, A.A., Recognizing brittle graphs: remarks on a paper of Hoàng and Khouzam 31 (1991) 29- 35
- Schibell, S.T. and R.M. Stafford, Processor interconnection networks from Cayley graphs 40 (1992) 333-357
- Schieber, B., see P.K. Agarwal 31 (1991) 97-111
- Schneider, H., see U.G. Rothblum 39 (1992) 241-261
- Schneider, M.H., see U.G. Rothblum 39 (1992) 241-261
- Schrader, R., see U. Faigle 35 (1992) 73- 79
- Schrader, R., see U. Faigle 40 (1992) 19- 28
- Schrefl, M., see G. Gottlob 40 (1992) 187-216
- Schreuder, J.A.M., Combinatorial aspects of construction of competition Dutch Professional Football Leagues 35 (1992) 301-312
- Schreuder, J.A.M., see M. Čangalović 35 (1992) 177-195
- Schwärzler, W., see A. Recski 39 (1992) 137-146
- Serra, O., see Y.O. Hamidoune 37/38 (1992) 275-280
- Sessa, C., see A. Dickenstein 33 (1991) 73- 94
- Setaro, G., see L. Gargano 36 (1992) 299-306
- Shapiro, L., Random walks with absorbing points 39 (1992) 57- 67
- Shapiro, L.W., S. Getu, W.-J. Woan and L.C. Woodson, The Riordan group 34 (1991) 229-239
- Sheikh, S.A., see P. Solé 37/38 (1992) 501-510
- Shier, D.R., E.J. Valvo and R.E. Jamison, Generating the states of a binary stochastic system 37/38 (1992) 489-500
- Simchi-Levi, D., see C.-L. Li 36 (1992) 267-292
- Skorobogatov, A.N., The parameters of subcodes of algebraic-geometric codes over prime subfields 33 (1991) 205-214
- Slobodová, A., see J. Hromkovič 32 (1991) 155-182
- Snir, M., see C.P. Kruskal 37/38 (1992) 359-385
- Soardi, P.M. and W. Woess, Uniqueness of currents in infinite resistive networks 31 (1991) 37- 49
- Solé, P. and A. Ghafoor, The covering radius of doubled 2-designs in $2O_k$ 33 (1991) 215-224
- Solé, P., A. Ghafoor and S.A. Sheikh, The covering radius of Hadamard codes in odd graphs 37/38 (1992) 501-510
- Soneoka, T., Super edge-connectivity of dense digraphs and graphs 37/38 (1992) 511-523
- Sotteau, D., see M.C. Heydemann 37/38 (1992) 287-296
- Sotteau, D., see M.C. Heydemann 37/38 (1992) 297-317

- Spangher, W., On Bayer's deformation and the associativity formula 33 (1991) 225–233
- Spinrad, J., P_4 -trees and substitution decomposition 39 (1992) 263–291
- Stafford, R.M., see S.T. Schibell 40 (1992) 333–357
- Stanley, R.P., Some applications of algebra to combinatorics 34 (1991) 241–277
- Steiner, G., see J.S. Deogun 39 (1992) 165–172
- Stumptner, M., see G. Gottlob 40 (1992) 187–216
- Sudit, M., see R.L. Rardin 39 (1992) 37– 56
- Suri, S., see P.K. Agarwal 31 (1991) 97–111
- Suzuki, H., see A. Frank 40 (1992) 363–378
- Székely, L.A., see L.H. Clark 34 (1991) 83–105
-
- Tai, S.C., M.W. Du and R.C.T. Lee, Transformation completeness properties of SVPC transformation sets 32 (1991) 263–273
- Tamura, A., see K. Fukuda 31 (1991) 141–149
- Tamura, A., see K. Fukuda 31 (1991) 151–165
- Tang, C.Y., see M.S. Chang 39 (1992) 1– 12
- Tardos, É., see A. Frank 40 (1992) 363–378
- Tavares, S.E., see C.M. Adams 39 (1992) 155–159
- Thalheim, B., The number of keys in relational and nested relational databases 40 (1992) 265–282
- Thimonier, L., see P. Flajolet 39 (1992) 207–229
- Tokuyama, T., see K. Fukuda 31 (1991) 151–165
- Tonchev, V.D., Self-dual codes and Hadamard matrices 33 (1991) 235–240
- Traverso, C., see P. Conti 33 (1991) 61– 72
- Tripathy, A., Computerised decision aid for timetabling – a case analysis 35 (1992) 313–323
- Truszczynski, M., see Y. Han 36 (1992) 141–152
- Tsfasman, M.A., Algebraic-geometric codes and asymptotic problems 33 (1991) 241–256
- Turán, G., see U. Faigle 40 (1992) 19– 28
- Tuza, Z., see A. Kornai 36 (1992) 87– 92
-
- Vaccaro, U., see R.M. Capocelli 33 (1991) 25– 41
- Vaccaro, U., see L. Gargano 36 (1992) 191–197
- Vaccaro, U., see L. Gargano 36 (1992) 299–306
- Valvo, E.J., see D.R. Shier 37/38 (1992) 489–500
- Vande Vate, J.H., Structural properties of matroid matchings 39 (1992) 69– 85
- Van Lint Jr, J.H., see H.D.L. Hollmann 37/38 (1992) 319–340
- Villar, J.L., The underlying graph of a line digraph 37/38 (1992) 525–538
- Voß, S., Steiner's problem in graphs: heuristic methods 40 (1992) 45– 72

- Vucetic, B. and S. Lin, Block coded modulation and concatenated coding schemes for error control on fading channels 33 (1991) 257–269
- Wada, K. and K. Kawaguchi, Efficient fault-tolerant fixed routings on $(k + 1)$ -connected digraphs 37/38 (1992) 539–552
- Wagner, D. and F. Wagner, An efficient parallel logarithmic time algorithm for the channel routing problem 40 (1992) 73– 81
- Wagner, D.K., see C.R. Coullard 32 (1991) 223–240
- Wagner, F., see D. Wagner 40 (1992) 73– 81
- Wang, C. and A.C. Williams, The threshold order of a Boolean function 31 (1991) 51– 69
- Welzl, E., see W. Gutjahr 35 (1992) 29– 45
- Wenger, R., see P. Egyed 31 (1991) 133–140
- West, D.B., The maximum number of winning 2-sets 34 (1991) 279–284
- Whiteley, W., Weavings, sections and projections of spherical polyhedra 32 (1991) 275–294
- Wieners-Lummer, C., A Manhattan channel router with good theoretical and practical performance 40 (1992) 83–103
- Williams, A.C., see C. Wang 31 (1991) 51– 69
- Willson, S.J., Calculating growth rates and moments for additive cellular automata 35 (1992) 47– 65
- Wimer, S., see I. Cederbaum 40 (1992) 303–318
- Woan, W.-J., see L.W. Shapiro 34 (1991) 229–239
- Woeginger, G., see W. Gutjahr 35 (1992) 29– 45
- Woess, W., see P.M. Soardi 31 (1991) 37– 49
- Wood, D., see T. Ottmann 32 (1991) 195–209
- Woodson, L.C., see L.W. Shapiro 34 (1991) 229–239
- Wrathall, C., Trace monoids with some invertible generators: two decision problems 32 (1991) 211–222
- Xie, S., see W. He 35 (1992) 91–106
- Yebra, J.L.A., see J. Gómez 37/38 (1992) 227–243
- Yu, S., see K. Culik II 32 (1991) 85–101
- Zemel, E., see D. Hartvigsen 39 (1992) 113–123
- Zémor, G. and G.D. Cohen, Application of coding theory to interconnection networks 37/38 (1992) 553–562
- Zhang, F. and X. Guo, Directed tree structure of the set of Kekulé patterns of generalized polyhex graphs 32 (1991) 295–302
- Zhang, F. and M. Zheng, Generalized hexagonal systems with each hexagon being resonant 36 (1992) 67– 73

- Zheng, M., see F. Zhang 36 (1992) 67– 73
- Zhu, X., A simple proof of the multiplicativity of directed
cycles of prime power length (Communication) 36 (1992) 313–316
- Zimmermann, U., Negative circuits for flows and sub-
modular flows 36 (1992) 179–189
- Zimmerman, G.W. and A.-H. Esfahanian, Chordal rings as
fault-tolerant loops 37/38 (1992) 563–573